

Test Certificate

Site Code:	Groove
Client:	Groove Travelling Discotheques Ltd
Site:	Garage
Address:	50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
Appliances Certified:	124
Certificate Issued By:	Bollico Ltd T/A Top Deck UK 50 Smithfield Road Scunthorpe North Lincolnshire DN16 2NH
Signature:	<u>Marco A Bolli</u>
Print Name:	<u>Marco Aurelio Bolli</u>
Date:	<u>25th July 2014</u>

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
000000GD01		LOCKUP		1WAY EX						
18/05/2014	Pass	Pass	25A	0.10OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
000000GD02		LOCKUP		CROWN XLS802						
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.1KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000GD03		LOCKUP		1WAY EX						
18/05/2014	Pass	Pass	25A	0.12OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
000000GD04		LOCKUP		2WAY EX						
18/05/2014	Pass	Pass	25A	0.13OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
000000GD06		LOCKUP		6WAY EX						
18/05/2014	Pass	Pass	25A	0.13OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
000000GD09		LOCKUP		MIXER						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000GD10		LOCKUP		BEHRINGER EQ						
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000GD13		LOCKUP		2WAY EX						
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
000000GD16		LOCKUP		MARTIN RAPTOR						
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.2KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD18		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.05OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD19		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.02OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD20		Location: LOCKUP		Description: 2WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.11OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD22		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.15OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD24		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD25		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD26		Location: LOCKUP		Description: 6WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.14OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD30		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.12OHM (Pass)	20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD33		Location: LOCKUP		Description: DENON DNHC2500			Serial Number:			
18/05/2014	Pass	Pass		Skip	20MEG (Pass)	Skip	0.00KVA (Pass)	0.00mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD36		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.09OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD40		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.10OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD45		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.13OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD51		Location: LOCKUP		Description: NJD 8000S			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD53		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD55		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.16OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD59		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.11OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD64		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.07OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD66		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.05OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD69		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.10OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD78		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD79		Location: LOCKUP		Description: 2WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.13OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD82		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.05OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD85		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.06OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD86		Location: LOCKUP		Description: CLOUD 1200			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.09OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.10OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD90		Location: LOCKUP		Description: KAM EX		Serial Number:				
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD93		Location: LOCKUP		Description: NJD DIMMER		Serial Number:				
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	14.0MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD98		Location: LOCKUP		Description: IEC LEAD		Serial Number:				
18/05/2014	Pass	Pass	25A	0.05OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000TD01		Location: LOCKUP		Description: CLOUD 1200		Serial Number:				
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000TD11		Location: LOCKUP		Description: Denon DN 4500		Serial Number:				
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000TD12		Location: LOCKUP		Description: 6 WAY EX LEAD		Serial Number:				
18/05/2014	Pass	Pass	25A	0.13OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000TD13		Location: LOCKUP		Description: IMQ XOVER		Serial Number:				
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000TD20		Location: LOCKUP		Description: IEC LEAD		Serial Number:				
18/05/2014	Pass	Pass	25A	0.01OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
000000TD29		LOCKUP		ALESIS EQ						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000TD30		LOCKUP		BEHRINGER EQ						
18/05/2014	Pass	Pass	0.1A	0.08OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000TD35		LOCKUP		Denon DN 4500						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000TD36		LOCKUP		Denon DNX 500						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000TD39		LOCKUP		Denon DNX 500						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000TD42		LOCKUP		Denon DNHC4500						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000TD44		LOCKUP		CROWN XLS 802						
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
000000TD45		LOCKUP		1Way Ex Lead						
18/05/2014	Pass	Pass	25A	0.12OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
000000TD47		LOCKUP		ACME FX						
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	0.1A	0.00OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000TD51		Location: LOCKUP		Description: ACME FX			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.00OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD011		Location: LOCKUP		Description: NJD 8000S			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.03OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD012		Location: LOCKUP		Description: NJD 8000S			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.03OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD034		Location: LOCKUP		Description: SCHIMITAR			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.1KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 000000GD068		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.07OHM (Pass)	20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD080		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.12OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD087		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.11OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 000000GD102		Location: LOCKUP		Description: RADIO MIC			Serial Number:			
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
00000GD105		LOCKUP		RADIO MIC						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
00000GD106		LOCKUP		MINIDISC						
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
00000GD152		LOCKUP		6WAY EX						
18/05/2014	Pass	Pass	25A	0.06OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
00000GD155		LOCKUP		TECHTRONICS 4X4						
18/05/2014	Pass	Pass	0.1A	0.04OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
00000GD156		LOCKUP		CROWN XTI2000						
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	>20MEG (Pass)	Skip	0.1KVA (Pass)	0.7mA (Pass)	Pass	18/05/2015
00000GD165		LOCKUP		4WAY EX						
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
00000GD167		LOCKUP		CLOUD AMP						
18/05/2014	Pass	Pass	0.1A	0.00OHM (Pass)	09.4MEG (Pass)	Skip	0.3KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
00000GD169		LOCKUP		2WAY EX						
18/05/2014	Pass	Pass	25A	0.09OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
00000GD172		LOCKUP		4WAY EX						
18/05/2014	Pass	Pass	25A	0.15OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.16OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD176		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.12OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD177		Location: LOCKUP		Description: NJD 8000S			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	17.0MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD179		Location: LOCKUP		Description: RYGER CON			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD180		Location: LOCKUP		Description: 2WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.13OHM (Pass)	Skip	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD184		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.04OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD185		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.11OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD188		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD189		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.04OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD192		Location: LOCKUP		Description: QUADZILLA			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.2mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD193		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.00OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD194		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.05OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD195		Location: LOCKUP		Description: RADIO MIC			Serial Number:			
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD400		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.09OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD401		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.20OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD410		Location: LOCKUP		Description: 1WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.15OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD418		Location: LOCKUP		Description: ACME FX			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.05OHM (Pass)	>20MEG (Pass)	Skip	0.1KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number: 00000GD420		Location: LOCKUP		Description: 4WAY EX		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.14OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD454		Location: LOCKUP		Description: 2WAY EX		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD456		Location: LOCKUP		Description: IEC LEAD		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD458		Location: LOCKUP		Description: IEC LEAD		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.02OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD462		Location: LOCKUP		Description: 6WAY EX		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD464		Location: LOCKUP		Description: CROWN XT12500		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD507		Location: LOCKUP		Description: SCHIMITAR		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	0.1A	0.07OHM (Pass)	>20MEG (Pass)	Skip	0.1KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD510		Location: LOCKUP		Description: IEC LEAD		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD511		Location: LOCKUP		Description: IEC LEAD		Serial Number:				
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	25A	0.04OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000GD513		Location: LOCKUP		Description: 2WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.15OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD519		Location: LOCKUP		Description: 2WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.12OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000GD527		Location: LOCKUP		Description: BEHRINGER XOVER			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000OGD07		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.14OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000TD007		Location: LOCKUP		Description: 6WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.11OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000TD014		Location: LOCKUP		Description: CROWN XLS602			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.03OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD015		Location: LOCKUP		Description: LIGHTING CON			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.02OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD016		Location: LOCKUP		Description: NJD DATAMOON			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	>20MEG (Pass)	Skip	0.2KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass	0.1A	0.05OHM (Pass)	>20MEG (Pass)	Skip	0.1KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD017		Location: LOCKUP		Description: NJD DATAMOON			Serial Number:			
Appliance Number: 00000TD018		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.15OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000TD021		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.02OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000TD026		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.03OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000TD028		Location: LOCKUP		Description: LAZER			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.01OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD031		Location: LOCKUP		Description: 4WAY EX			Serial Number:			
18/05/2014	Pass	Pass	25A	0.08OHM (Pass)	<20.0MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015
Appliance Number: 00000TD033		Location: LOCKUP		Description: DENON DN4500			Serial Number:			
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD034		Location: LOCKUP		Description: DENON DNX500			Serial Number:			
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD037		Location: LOCKUP		Description: DENON DNHC5400			Serial Number:			
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015

Test Certificate

Site Code: Groove	Client: Groove Travelling Discotheques Ltd	Site: Garage	Address: 50 Smithfield Road Ashby Scunthorpe North Lincolnshire DN16 2NH
--------------------------	---	---------------------	---

Appliance Number:		Location:		Description:			Serial Number:			
Test Date	Result	Visual	Earth Current	Earth Bond	Insulation	Flash	Load	Leakage	Continuity	Next Test
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD046		Location: LOCKUP		Description: ACME FX			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.09OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD049		Location: LOCKUP		Description: ACME FX			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.00OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD050		Location: LOCKUP		Description: Denon DN 4500			Serial Number:			
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD058		Location: LOCKUP		Description: BEHRINGER EQ			Serial Number:			
18/05/2014	Pass	Pass	0.1A	0.08OHM (Pass)	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: 00000TD078		Location: LOCKUP		Description: DENON DN4500			Serial Number:			
18/05/2014	Pass	Pass		Skip	>20MEG (Pass)	Skip	0.0KVA (Pass)	0.0mA (Pass)	Pass	18/05/2015
Appliance Number: GD00000529		Location: LOCKUP		Description: IEC LEAD			Serial Number:			
18/05/2014	Pass	Pass	25A	0.00OHM (Pass)	>20MEG (Pass)	Skip	Skip	Skip	Pass	18/05/2015